



*Figure 1*




*Figure 2*

PRIOR ART



*Figure 3*


**Figure 4**




Subnet	Network	Mask	Network ID	Gateway	Entry Time Stamp	Last Packet Time Stamp
192.0.0.0	192.0.0.0	255.255.255.0	0	165.43.24.121	1/2/00 24:00	1/9/00 12:23
193.0.0.0	193.0.0.0	255.255.255.0	1	209.21.1.3	1/8/00 1:11	1/9/00 23:24
194.0.0.0	194.0.0.0	255.255.255.0	1	205.1.2.3	1/5/00 2:34	1/9/00 23:23
195.0.0.0	195.0.0.0	255.255.255.0	0	111.23.41.2	1/9/00 7:56	1/9/00 9:00

196.0.0.0	196.0.0.0	255.255.255.0	1	10.23.44.1	1/8/00 5:32	1/9/00 1:23
-----------	-----------	---------------	---	------------	-------------	-------------

**Figure 5**





**Figure 6**



**Figure 7**


*Figure 8*






*Figure 9*





**Figure 10**



*Figure 11*





Figure 12


251

Type	IP Address	Source / Dest	Port	Source / Dest	Protocol	Network
Ignore	Any	Both	23	Both	TCP	
Alternate	Any	Both	23	Both	TCP	Network B
Alternate	Any	Both	80	Both	TCP	Network B
Default	Any	Both	6380	Both	UDP	
Ignore	10.10.2.3	Any	Any	Both	Both	


*Figure 13*

*Figure 14*





*Figure 15(a)*



255

Add

Edit

Delete


Type	IP Address	Source/Dest	Port	Source/Dest	Protocol	Network
Alternate	All	Either	80	Either	TCP	Wireless LAN
Alternate	All	Either	6560	Either	UDP	Sierra Wireless MP200
Alternate	All	Either	9753	Destination	UDP	Sierra Wireless MP200
Ignore	All	Either	All	Either	UDP	
Ignore	All	Either	23	Either	TCP	

☒ Enable Port Routing

253

Figure 16





**Figure 17**

Network	Mask	Network ID	Gateway	Route Time	Last Packet	Description
192.168.2.1	255.255.255.255	Local Host		10/22/2001 14:20:46	10/22/2001 14:20:46	TR Ellipse

*Figure 18(a)*

Network	Mask	Network ID	Gateway	Route Time	Last Packet	Description
192.168.2.1	255.255.255.255	Local Host		11/14/2001 13:30:38	11/14/2001 13:30:38	TR Ellipse

Friday Alternate

273

275

*Figure 18(b)*